

Evaluation Template (VPAT) in addition to **Sections 1194.22, 1194.31 and 1194.41.**

Voluntary Product Evaluation Template (VPAT)

Date: 2015/08/14

Name of Product: IG Publishing eBook Platform

Contact for more Information: art@igroupnet.com

Refer to the [ITIC Best Practices](#) for filling out the following form.

Summary Table		
Criteria	Supporting Features	Remarks and explanations
Section 1194.21 Software Applications and Operating Systems	Supports	supports 10 of 12
Section 1194.22 Web-based internet information and applications	Supports	supports 10 of 16
Section 1194.23 Telecommunications Products	Not Applicable	not a telecommunications product
Section 1194.24 Video and Multi-media Products	Not Applicable	not a video and multi-media product
Section 1194.25 Self-Contained, Closed Products	Not Applicable	not a self-contained, closed product
Section 1194.26 Desktop and Portable Computers	Not Applicable	not a desktop and portable computer
Section 1194.31 Functional Performance Criteria	Supports	supports 2 of 6
Section 1194.41 Information, documentation, and support.	Supports	supports 3 of 3

[Return to the top of the page.](#)

Section 1194.21 Software Applications and Operating Systems			
* Refer to (http://www.access-board.gov/sec508/guide/1194.21.htm) for details on the guidelines listed below.			
Criteria	Supporting Features	Remarks and explanations	ATN Review Notes
(a) When software is designed to run on a system that has a keyboard, product functions shall be executable from a keyboard where the function itself or the result of performing a function can be discerned textually.	Supports	All core functions supports keyboard control	Please describe what core functions are affected by this unsupported criterion.

<p>(b) Applications shall not disrupt or disable activated features of other products that are identified as accessibility features, where those features are developed and documented according to industry standards. Applications also shall not disrupt or disable activated features of any operating system that are identified as accessibility features where the application programming interface for those accessibility features has been documented by the manufacturer of the operating system and is available to the product developer.</p>	<p>Supports</p>	<p>Yes, our product will not disrupt or disable activated features of other products that are identified as accessibility features</p>	
<p>(c) A well-defined on-screen indication of the current focus shall be provided that moves among interactive interface elements as the input focus changes. The focus shall be programmatically exposed so that Assistive Technology can track focus and focus changes.</p>	<p>Supports</p>	<p>All core functions and links are supported. When users navigate the element on the pages, the selected text will be highlighted in yellow color with rectangle border.</p>	<p>This criterion addresses whether a user can determine where the current cursor focus is while navigating through the interface. Please specifically describe whether/how this is supported (e.g. prominent color rectangle around the active control).</p>
<p>(d) Sufficient information about a user interface element including the identity, operation and state of the element shall be available to Assistive Technology. When an image represents a program element, the information conveyed by the image must also be available in text.</p>	<p>Supports</p>	<p>The controls on the interface have provide sufficient information. Also the elements have "Alt" attributes or "Title" attribute with messages for Assistive Technology. (eg. Microsoft Narrator or JAWS)</p>	<p>This criterion addresses whether info about each control on the interface conveys info about its name, role, and state (e.g. "Subscribe, checkbox, unchecked"). Please revise the response to address this information.</p>
<p>(e) When bitmap images are used to identify controls, status indicators, or other programmatic elements, the meaning assigned to those images shall be consistent throughout an application's performance.</p>	<p>Supports</p>	<p>Yes, our product have followed WCAG 2.0 SC 3.2.4 and also meet this criterion</p>	
<p>(f) Textual information shall be provided through operating system functions for displaying text. The minimum information that shall be made available is text content, text input caret location, and text attributes.</p>	<p>Supports</p>	<p>Yes, our product follows WCAG 2.0 SC 1.4.5 and does not use unique schemes for writing text. So our product meet this criterion</p>	

(g) Applications shall not override user selected contrast and color selections and other individual display attributes.	Supports	The program inherits the color/contrast setting from the browser as well as the OS.	Indicate whether the application correctly inherits OS settings for color/contrast (e.g. font and background color).
(h) When animation is displayed, the information shall be displayable in at least one non-animated presentation mode at the option of the user.	Not Applicable	Our product has no animation displayed.	
(i) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supports with Exceptions	All major controls and information uses text to convey the meaning. The search results text with the highlight still use the color to indicate its status.	Please describe in detail how this criterion is supported.
(j) When a product permits a user to adjust color and contrast settings, a variety of color selections capable of producing a range of contrast levels shall be provided.	Not Applicable		
(k) Software shall not use flashing or blinking text, objects, or other elements having a flash or blink frequency greater than 2 Hz and lower than 55 Hz.	Supports	Our software follow WCAG 2.0 SC 2.3.2, we don't have any Adobe Flash element or images or text which will flash and blink	
(l) When electronic forms are used, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	Supports	The elements of the electronic form has sufficient messages for Assistive Technology to access the information. The forms has been tested via on screen reader software. (eg. Microsoft Narrator or JAWS)	What methods were used to validate forms support for assistive technology? (e.g. explicit labels, keyboard operable, 'required' attributes). Has this been tested? If yes how was it tested?

[Return to the top of the page.](#)

Section 1194.22 Web-based Internet information and applications

* Refer to (<http://www.access-board.gov/sec508/guide/1194.22.htm>) for details on the guidelines listed below.

Criteria	Supporting Features	Remarks and explanations	ATN Review Notes
(a) A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).	Supports	All the core elements have "Alt" attribute or "Title" attribute with sufficient information for Assistive Technology. (eg. Microsoft Narrator or JAWS)	
(b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.	Not Applicable	No multimedia content	
(c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.	Support	Yes, the product has followed WCAG 2.0 SC 1.4.1, and also meets this criterion	
(d) Documents shall be organized so they are readable without requiring an associated style sheet.	Does not Support	User cannot apply individual style sheets and browser must enable the style sheet display.	Can the user apply individual style sheets or disable the style sheet altogether without losing functionality or data?
(e) Redundant text links shall be provided for each active region of a server-side image map.	Not Applicable		
(f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.	Not Applicable		
(g) Row and column headers shall be identified for data tables.	Supports	The row and column headers are well defined and uses <TH> tag.	Are row and column headers identified in data tables with a <TH> tag? Are there any row and column headers that are not identified? What is meant by when they exists?
(h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.	Not Applicable	The interface does not have the table with two or more logical levels of row or column headers.	Please describe what is meant by when they exists.

(i) Frames shall be titled with text that facilitates frame identification and navigation	Not Applicable		
(j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	Supports	Our software follow WCAG 2.0 SC 2.3.2, we don't have any Adobe Flash element or images or text which will flash and blink	
(k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.	Not Applicable		Text only pages are not required. If they are not available then this would be not applicable.
(l) When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by Assistive Technology.	Supports	The content render via Scripting language are supports Assistive technology. (eg. Microsoft Narrator or JAWS)	Are there any core functions of the application that cannot be executed by the user due to the exception or lack of support for this section 508 criterion? I do not currently see from the description how this is equivalent facilitation. Please describe what assistive technology was used to test this criterion.
(m) When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with 1194.21(a) through (l).	Supports	The page has provide sufficient information for user to download the required application. (Acrobat Reader, Adobe Digital Edition or Bluefire APP)	Based on the mention of PDF above in previous criterion that does apply.
(n) When electronic forms are designed to be completed on-line, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	Supports	All the core elements have "Alt" attribute or "Title" attribute with messages for Assistive Technology (eg. Microsoft Narrator or JAWS)	Conflicts with 1194.21 a, if the product is not keyboard navigable then how is the form supported?

(o) A method shall be provided that permits users to skip repetitive navigation links.	Supports	The design of interface has prevented the repetitive navigation links.	Conflicts with 1194.21 a stating that the product is not keyboard navigable.
(p) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	Not Applicable		

Note to 1194.22: The Board interprets paragraphs (a) through (k) of this section as consistent with the following priority 1 Checkpoints of the Web Content Accessibility Guidelines 1.0 (WCAG 1.0) (May 5 1999) published by the Web Accessibility Initiative of the World Wide Web Consortium: Paragraph (a) - 1.1, (b) - 1.4, (c) - 2.1, (d) - 6.1, (e) - 1.2, (f) - 9.1, (g) - 5.1, (h) - 5.2, (i) - 12.1, (j) - 7.1, (k) - 11.4.

[Return to the top of the page.](#)

Section 1194.23 Telecommunications Products		
* Refer to (http://www.access-board.gov/sec508/guide/1194.23.htm) for details on the guidelines listed below.		
Criteria	Supporting Features	Remarks and explanations
(a) Telecommunications products or systems which provide a function allowing voice communication and which do not themselves provide a TTY functionality shall provide a standard non-acoustic connection point for TTYs. Microphones shall be capable of being turned on and off to allow the user to intermix speech with TTY use.		
(b) Telecommunications products which include voice communication functionality shall support all commonly used cross-manufacturer non-proprietary standard TTY signal protocols.		
(c) Voice mail, auto-attendant, and interactive voice response telecommunications systems shall be usable by TTY users with their TTYs.		

<p>(d) Voice mail, messaging, auto-attendant, and interactive voice response telecommunications systems that require a response from a user within a time interval, shall give an alert when the time interval is about to run out, and shall provide sufficient time for the user to indicate more time is required.</p>		
<p>(e) Where provided, caller identification and similar telecommunications functions shall also be available for users of TTYs, and for users who cannot see displays.</p>		
<p>(f) For transmitted voice signals, telecommunications products shall provide a gain adjustable up to a minimum of 20 dB. For incremental volume control, at least one intermediate step of 12 dB of gain shall be provided.</p>		
<p>(g) If the telecommunications product allows a user to adjust the receive volume, a function shall be provided to automatically reset the volume to the default level after every use.</p>		
<p>(h) Where a telecommunications product delivers output by an audio transducer which is normally held up to the ear, a means for effective magnetic wireless coupling to hearing technologies shall be provided.</p>		
<p>(i) Interference to hearing technologies (including hearing aids, cochlear implants, and assistive listening devices) shall be reduced to the lowest possible level that allows a user of hearing technologies to utilize the telecommunications product.</p>		

<p>(j) Products that transmit or conduct information or communication, shall pass through cross-manufacturer, non-proprietary, industry-standard codes, translation protocols, formats or other information necessary to provide the information or communication in a usable format. Technologies which use encoding, signal compression, format transformation, or similar techniques shall not remove information needed for access or shall restore it upon delivery.</p>		
<p>(k)(1) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be tactilely discernible without activating the controls or keys.</p>		
<p>(k)(2) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be operable with one hand and shall not require tight grasping, pinching, twisting of the wrist. The force required to activate controls and keys shall be 5 lbs. (22.2N) maximum.</p>		
<p>(k)(3) Products which have mechanically operated controls or keys shall comply with the following: If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.</p>		
<p>(k)(4) Products which have mechanically operated controls or keys shall comply with the following: The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound.</p>		

[Return to the top of the page.](#)

Section 1194.24 Video and Multi-media Products
 * Refer to (<http://www.access-board.gov/sec508/guide/1194.24.htm>) for details on the guidelines listed below.

Criteria	Supporting Features	Remarks and explanations
(a) All analog television displays 13 inches and larger, and computer equipment that includes analog television receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals. As soon as practicable, but not later than July 1, 2002, widescreen digital television (DTV) displays measuring at least 7.8 inches vertically, DTV sets with conventional displays measuring at least 13 inches vertically, and stand-alone DTV tuners, whether or not they are marketed with display screens, and computer equipment that includes DTV receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals.		
(b) Television tuners, including tuner cards for use in computers, shall be equipped with secondary audio program playback circuitry.		
(c) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain speech or other audio information necessary for the comprehension of the content, shall be open or closed captioned.		
(d) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain visual information necessary for the comprehension of the content, shall be audio described.		
(e) Display or presentation of alternate text presentation or audio descriptions shall be user-selectable unless permanent.		

[Return to the top of the page.](#)

<p align="center">Section 1194.25 Self-Contained, Closed Products * Refer to (http://www.access-board.gov/sec508/guide/1194.25.htm) for details on the guidelines listed below.</p>		
Criteria	Supporting Features	Remarks and explanations
(a) Self contained products shall be usable by people with disabilities without requiring an end-user to attach Assistive Technology to the product. Personal headsets for private listening are not Assistive Technology.		
(b) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.		
(c) Where a product utilizes touchscreens or contact-sensitive controls, an input method shall be provided that complies with 1194.23 (k) (1) through (4).		

(d) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.		
(e) When products provide auditory output, the audio signal shall be provided at a standard signal level through an industry standard connector that will allow for private listening. The product must provide the ability to interrupt, pause, and restart the audio at anytime.		
(f) When products deliver voice output in a public area, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. Where the ambient noise level of the environment is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A function shall be provided to automatically reset the volume to the default level after every use.		
(g) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.		
(h) When a product permits a user to adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels shall be provided.		
(i) Products shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.		
(j) (1) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the operable control, and at the maximum protrusion of the product within the 48 inch length on products which are freestanding, non-portable, and intended to be used in one location and which have operable controls.		
(j)(2) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.		
(j)(3) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is more than 10 inches and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.		
(j)(4) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Operable controls shall not be more than 24 inches behind the reference plane.		

[Return to the top of the page.](#)

Section 1194.26 Desktop and Portable Computers		
* Refer to (http://www.access-board.gov/sec508/guide/1194.26.htm) for details on the guidelines listed below.		
Criteria	Supporting Features	Remarks and explanations
(a) All mechanically operated controls and keys shall comply with 1194.23 (k) (1) through (4).		
(b) If a product utilizes touchscreens or touch-operated controls, an input method shall be provided that complies with 1194.23 (k) (1) through (4).		
(c) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.		
(d) Where provided, at least one of each type of expansion slots, ports and connectors shall comply with publicly available industry standards		

[Return to the top of the page.](#)

Section 1194.31 Functional Performance Criteria			
Criteria	Supporting Features	Remarks and explanations	ATN Review Notes
(a) At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for Assistive Technology used by people who are blind or visually impaired shall be provided.	Supports through Equivalent Facilitation	The elements on the pages are well described with "ALT" or "Title" attribute. The interface can be interpreted via Assistive technology. (eg. Microsoft Narrator or JAWS)	The "Supports" comment conflicts with multiple previously noted as; "supports with exceptions and does not supported" within 1194.21 & 1194.22.

(b) At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for Assistive Technology used by people who are visually impaired shall be provided.	Not Applicable		Describe the specific methods used to provide support for those with low vision (e.g. support for scaling text size to 200%, substituting font/background color, Tooltips for controls, etc.). What methods are used to allow text scaling (e.g. em units, percentages, or named fonts vs. pixels)?
(c) At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for Assistive Technology used by people who are deaf or hard of hearing shall be provided	Not Applicable		
(d) Where audio information is important for the use of a product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for assistive hearing devices shall be provided.	Not Applicable		
(e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive Technology used by people with disabilities shall be provided.	Not Applicable		
(f) At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.	Not Applicable		Please describe how the application supports users who use alternatives to pointing devices such as keyboard-only operation or voice recognition software.

[Return to the top of the page.](#)

Section 1194.41 Information, documentation, and support			
Criteria	Supporting Features	Remarks and explanations	ATN Review Notes
(a) Product support documentation provided to end-users shall be made available in alternate	Supports	The documents support in following formats:	Please describe: (a) what accessible formats may be

formats upon request, at no additional charge.		PDF, Word Document and HTML Pages.	requested and (b) how does a user, request these formats. How will users make the request for alternate format?
(b) End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge.	Does not support		Please describe: (a) what accessible formats may be requested and (b) how does a user, request these formats. How will users make the request for alternate format?
(c) Support services for products shall accommodate the communication needs of end-users with disabilities.	Supports	The users can liaise with the local vendor or contact the IG Publishing Singapore Office : Tel : (65)6745-5581 Fax: (65)6745-4068 Email : igpub@igroupnet.com	Describe any specific methods used to support users with disabilities who use telephone support, chat, email, etc. (e.g. TDD/TTY line, personnel trained on using telecommunications relay services) Have support personnel received training in how to respond to accessibility questions by end users?

[Return to the top of the page.](#)